
ndn-python-repo

Zhaoning Kong

Apr 09, 2024

CONTENTS:

1	ndn-python-repo	1
2	Install and Run	3
2.1	Install	3
2.2	Migrate from repo-ng	3
2.3	Instruction for developers	3
3	Configuration	5
3.1	Repo namespace	5
3.2	Repo prefix registration	5
3.3	Choose the backend database	6
3.4	TCP bulk insert	6
3.5	Logging	6
3.6	systemd	7
4	Specification	9
4.1	Encoding	9
4.2	Insert	10
4.3	Delete	11
4.4	Check	12
4.5	RepoCommandRes	13
4.6	TCP bulk insert	13
4.7	Overall	13
4.8	Joining SVS Sync (Draft)	14
5	Miscellaneous packages	15
5.1	Client-side packages	15
5.2	ConcurrentFetcher package	18
5.3	PubSub package	18
5.4	Storage package	21
6	Examples	23
7	Authors	25
8	Future Plans	27
9	Indices and tables	29
	Python Module Index	31

NDN-PYTHON-REPO

A Named Data Networking (NDN) Repo implementation using [python-ndn](#).

Please see our [documentation](#) if you have any issues.

INSTALL AND RUN

2.1 Install

Install the latest release with pip:

```
$ /usr/bin/pip3 install ndn-python-repo
```

Optionally, you can install the latest development version from source:

```
$ git clone https://github.com/JonnyKong/ndn-python-repo.git
$ cd ndn-python-repo && /usr/bin/pip3 install -e .
```

2.2 Migrate from repo-ng

ndn-python-repo provides a script to migrate existing data from repo-ng:

```
$ ndn-python-repo-port -d <path-to-repo-ng-dbfile> \
                      -a <ndn-python-repo-ipaddr> \
                      -p <ndn-python-repo-port>
```

It takes as input a repo-ng database file, reads the Data packets and pipe them through TCP bulk insert into the new repo.

2.3 Instruction for developers

For development, `poetry` is recommended.

```
$ poetry install --all-extras
```

To setup a traditional python3 virtual environment with editable installation:

```
python3 -m venv venv
. venv/bin/activate
pip3 install -e ".[dev,docs]"
```

Run all tests:

```
$ nfd-start  
$ pytest tests
```

Compile the documentation with Sphinx:

```
$ poetry run make -C docs html  
$ open docs/_build/html/index.html
```


CONFIGURATION

You can configure `ndn-python-repo` with a config file, by specifying the path to the file when starting a repo instance:

```
$ ndn-python-repo -c <config_file>
```

A sample config file is provided at `ndn_python_repo/ndn-python-repo.conf.sample`.

If no config file is given on the command line, this sample config file will be used by default.

3.1 Repo namespace

Specify the name of a repo in the config file. For example:

```
repo_config:
# the repo's routable prefix
repo_name: 'testrepo'
```

Another option is to specify the repo name when starting a repo on the command line. This overrides the repo name in the config file:

```
$ ndn-python-repo -r "/name_foo"
```

3.2 Repo prefix registration

By default, the repo registers the root prefix `/`.

Alternatively, you can configure repo such that it doesn't register the root prefix:

```
repo_config:
register_root: False
```

If `register_root` is set to `False`, the client is responsible of telling the repo which prefix to register or unregister every time in `RepoCommandParameter`. See *Insert* and *Delete* for details.

3.3 Choose the backend database

The ndn-python-repo uses one of the three backend databases:

- SQLite3 (default)
- leveldb
- MongoDB

To use non-default databases, perform the following steps:

1. Install ndn-python-repo with additional database support that you need:

```
$ /usr/bin/pip3 install ndn-python-repo[leveldb]
$ /usr/bin/pip3 install ndn-python-repo[mongodb]
```

2. Specify the database selection and database file in the config file. For example:

```
db_config:
  # choose one among sqlite3, leveldb, and mongodb
  db_type: 'mongodb'

  # only the chosen db's config will be read
  mongodb:
    'db': 'repo'
    'collection': 'data'
```

3.4 TCP bulk insert

By default, the repo listens on 0.0.0.0:7376 for TCP bulk insert. You can configure in the config file which address the repo listens on. For example:

```
tcp_bulk_insert:
  'addr': '127.0.0.1'
  'port': '7377'
```

3.5 Logging

Repo uses the python logging module, and by default logs all messages of and above level INFO to stdout. You can override the default options in the config file. For example:

```
logging_config:
  'level': 'WARNING'
  'file': '/var/log/ndn/ndn-python-repo/repo.log'
```

3.6 systemd

To run ndn-python-repo with systemd on Linux, perform the following steps:

1. Run the provided script to install the systemd script to /etc/systemd/system/:

```
$ sudo ndn-python-repo-install
```

2. Then, start, stop, and monitor a repo instance with systemd:

```
$ sudo systemctl start ndn-python-repo  
$ sudo systemctl stop ndn-python-repo  
$ sudo systemctl status ndn-python-repo
```

3. Examine logs:

```
$ sudo journalctl -u ndn-python-repo.service
```


SPECIFICATION

4.1 Encoding

Most repo commands and status reports are Data packets whose Content contains RepoCommandParam or RepoCommandRes structure. These Data are issued via Pub-Sub protocol. Each RepoCommandParam and RepoCommandRes contains multiple ObjectParam and ObjectResult, resp. These structures are defined as follows:

```
ObjectParam =
    Name
    [ForwardingHint]
    [StartBlockId]
    [EndBlockId]
    [RegisterPrefix]

ObjectResult =
    Name
    StatusCode
    [InsertNum]
    [DeleteNum]

RepoCommandParam =
    1 * (OBJECT-PARAM-TYPE TLV-LENGTH ObjectParam)

RepoCommandRes =
    StatusCode
    0 * (OBJECT-RESULT-TYPE TLV-LENGTH ObjectResult)

RepoStatQuery =
    RequestNo

ForwardingHint = FORWARDING-HINT-TYPE TLV-LENGTH Name

StartBlockId = START-BLOCK-ID-TYPE TLV-LENGTH NonNegativeInteger

EndBlockId = END-BLOCK-ID-TYPE TLV-LENGTH NonNegativeInteger

RegisterPrefix = REGISTER-PREFIX-TYPE TLV-LENGTH Name

StatusCode = STATUS-CODE-TYPE TLV-LENGTH NonNegativeInteger

InsertNum = INSERT-NUM-TYPE TLV-LENGTH NonNegativeInteger
```

(continues on next page)

(continued from previous page)

`DeleteNum` = `DELETE-NUM-TYPE` `TLV-LENGTH` `NonNegativeInteger`

`RequestNo` = `REQUEST-NO-TYPE` `TLV-LENGTH` `1*OCTET`

The type number assignments are as follows:

type	Assigned number (decimal)	Assigned number (hexadecimal)
START-BLOCK-ID-TYPE	204	0xCC
END-BLOCK-ID-TYPE	205	0xCD
REQUEST-NO-TYPE	206	0xCE
STATUS-CODE-TYPE	208	0xD0
INSERT-NUM-TYPE	209	0xD1
DELETE-NUM-TYPE	210	0xD2
FORWARDING-HINT-TYPE	211	0xD3
REGISTER-PREFIX-TYPE	212	0xD4
OBJECT-PARAM-TYPE	301	0x12D
OBJECT-RESULT-TYPE	302	0x12E

4.1.1 Status Code Definition

The status codes are defined as follows:

Code name	Value	Explanation
ROGER	100	Command received but not been executed yet
COMPLETED	200	Command completed
IN-PROGRESS	300	Command working in progress
FAILED	400	Command or parts of it failed
MALFORMED	403	Command is malformed
NOT-FOUND	404	Queried command not found

4.2 Insert

Repo insertion process makes use of the *PubSub package*.

1. The repo subscribes to the topic `/<repo_name>/insert`.
2. The client publishes a message to the topic `/<repo_name>/insert`. The message payload is `RepoCommandParam` containing one or more `ObjectParam` with the following fields:
 - `name`: either a Data packet name, or a name prefix of segmented Data packets.
 - `start_block_id` (Optional): inclusive start segment number.
 - `end_block_id` (Optional): inclusive end segment number.
 - `forwarding_hint` (Optional): forwarding hint for Data fetching.

This is useful in two scenarios:

- The producer choose not to announce its name prefix, but only allow the repo to reach it via forwarding hint.
 - The name prefix is already announced by repo node(s), but the producer in another node wants to insert to the repo.
 - `register_prefix` (Optional): if repo doesn't register the root prefix (*Configuration* `register_root` is disabled), client can tell repo to register this prefix.
3. The repo fetches and inserts single or segmented Data packets according to given parameters.
 - If neither `start_block_id` nor `end_block_id` are given, the repo fetches a single packet identified in `name` parameter. The insertion process succeeds when this packet is received.
 - If only `end_block_id` is given, `start_block_id` is considered 0.
 - If only `start_block_id` is given, `end_block_id` is auto detected, i.e. infinity.
 - If both block ids are given, the command is considered as correct only if `end_block_id` \geq `start_block_id`.
 - Whenever the repo cannot fetch a segment, it will stop, no matter what `end_block_id` is.
 - Segment numbers are encoded in accordance with *NDN naming conventions rev2*.

4.2.1 Insert status check

The client can use the *Check* protocol to check the progress of an insertion process. The insertion check response message payload is `RepoCommandRes` containing zero or more `ObjectResult` with the following fields:

- `status_code`: status code, as defined on *Check*. Both the command itself and objects has a status code.
- `name`: the name of object to insert.
- `insert_num`: number of Data packets received by the repo so far.
- The number of `ObjectResult` in the result should be either: `*=0`, which means the command is malformed or not allowed. `*` equals to the number of `ObjectParam` in the insertion command.

4.3 Delete

Repo deletion process makes use of the *PubSub package*.

1. The repo subscribes to the topic `/<repo_name>/delete`.
2. The client publishes a message to the topic `/<repo_name>/delete`. The message payload is `RepoCommandParam` containing one or more `ObjectParam` with the following fields:
 - `name`: either a Data packet name, or a name prefix of Data packets.
 - `start_block_id` (Optional): inclusive start segment number.
 - `end_block_id` (Optional): inclusive end segment number.
 - `register_prefix` (Optional): if repo doesn't register the root prefix (*Configuration* `register_root` is disabled), client can tell repo to unregister this prefix.
3. The repo deletes Data packets according to given parameters.
 - If both `start_block_id` and `end_block_id` are omitted, the repo deletes a single packet identified in `name` parameter. The deletion process succeeds when this packet is deleted.

- If `start_block_id` is specified but `end_block_id` is omitted, the repo starts deleting segments starting from `/name/start_block_id`, and increments segment number after each packet. When a name query does not find an existing segment, the deletion process stops and is considered successful.
- Otherwise, the repo fetches all segments between `/name/start_block_id` and `/name/end_block_id`. If `start_block_id` is omitted, it defaults to 0. The deletion process succeeds when all packets are deleted.
- Segment numbers are encoded in accordance with [NDN naming conventions rev2](#).

Warning: Please use exactly the same parameters as you inserted the Data to delete them. The current maintainer is not sure whether there will be problems if you provide a wrong `register_prefix` or only delete partial of the segments (i.e. provide different block ids). Also, using single packet deletion command to delete a segment Data object or vice versa will always fail, with `delete_num` being 0.

4.3.1 Delete status check

The client can use the [Check](#) protocol to check the progress of an deletion process. The deletion check response message payload is `RepoCommandRes` containing zero or more `ObjectResult` with the following fields:

- `status_code`: status code, as defined on [Check](#). Both the command itself and objects has a status code.
- `name`: the name of object to delete.
- `delete_num`: number of Data packets deleted by the repo so far.
- The number of `ObjectResult` in the result should be either: `*=0`, which means the command is malformed or not allowed. `*` equals to the number of `ObjectParam` in the deletion command.

4.4 Check

The check protocol is used by clients to check the progress of a insertion or deletion process.

1. The check prefix for `<command>` is `/<repo_name>/<command> check`. For example, the check prefix for insertion is `/<repo_name>/insert check`, and deletion is `/<repo_name>/delete check`.
2. Status check Interests are send to the check prefix directly. No Pub-Sub is used here.
3. The check Interest should carry an application parameter `RepoStatQuery`, which contains the request number of the command. The request number of the command is always the SHA256 hash of the command data published in Pub-Sub.
4. After receiving the query Interest, the repo responds with a Data packet containing `RepoCommandRes`.
5. The status is only kept for 60s after the operation finishes. After that time, all queries will be responded with `NOT-FOUND`.

4.5 RepoCommandRes

- The RepoCommandRes Data contains a status code for the whole command, with the following rules:
 - MALFORMED: If the command cannot be parsed.
 - NOT-FOUND: If the given request no is not associated with a valid command. This is also returned when the repo has not finish fetching the command from Pub-Sub, or the command has finished for more than 60s.
 - COMPLETED: If all operations (for all objects) completed.
 - IN-PROGRESS: The command is received and being executed.
 - FAILED: If one or more operation in the command fails. If the is insertion, this means some or all objects requested to insert cannot be completely fetched. However, fetched objects or segments are still inserted into the repo. Only the objects with `insert_num=0` are not inserted.
- For each ObjectResult contained in the RepoCommandRes, the status code can be one of the following:
 - ROGER: The whole command is received and the operation on this object will be started in the future.
 - MALFORMED: If the object has wrong parameter.
 - FAILED: If the operation on this object failed to execute. For example, not all segments specified can be fetched. Note that even for a failed object, fetched segments are still put into the repo and can be fetched.
 - COMPLETED: If the operation on this object succeeded.

4.6 TCP bulk insert

4.7 Overall

The repo is considered as part of the NDN network infrastructure. Therefore, when deployed for production, the security requirements are supposed to be specified by the authority, such as the network operator or the project manager.

For development deployment or internal use, the settings described in this section are recommended.

4.7.1 Required Settings

- All Interests with application parameters are required to be signed. Otherwise the Repo must drop the Interest. Currently including the check Interest `/<repo_name>/<command> check` and the publication notification Interest `"/<topic>/notify"`.
- Check Interests are required to have at least one of `SignatureTime`, `SignatureNonce`, or `SignatureSeqNum`. Otherwise, Check Interests' result is undefined behavior. This is to make sure these check Interests are different to avoid cache invalidation.

Warning: Unfortunately current implementation does not follow these requirements by default. This may cause some potential vulnerabilities. Will be fixed in future versions.

4.7.2 Recommended Settings

- Packet signatures should be signed by asymmetric algorithms. Use ECDSA or Ed25519 when in doubt.
- Signed Interests should use `SignatureNonce`.
 - Since there is no replay attack, the Repo does not have to remember the list of `SignatureNonce`.
- If the Repo is provided as a network service, the certificate obtained from the network provider should be used. In this case, the prefix registration command and repo's publication data are signed using the same key.
 - For example, if one employs a Repo as a public service of NDN testbed, then both the client and the Repo server should use their testbed certificates.
 - The Repo should use the same verification method as its local NFD node to verify the register.
 - The client should use the same verification method as how it verifies the prefix registration command.
- If the Repo is provided as an application service, it should either obtain an identity from the application namespace, or runs on its own trust domain and holds the trust anchor. In this case, the prefix registration command and repo's publication data are signed using different keys.
 - In this case, the Repo is supposed obtain the trust schema when it is bootstrapped into the application's namespace. If it is unable to obtain the trust schema, it should maintain a user list to verify the clients. The client should do similar things.

4.8 Joining SVS Sync (Draft)

- Joining SVS Sync group is an optional feature. It should only be enabled when it is deployed as a network service.
 - If the Repo is deployed as an application service, the application deployer should run another process on the same node as an SVS peer and use the Repo only for Data.
- The Repo should not join an application's SVS sync group as a producer. (unless the sync group is specifically designed for Repos to backup data)
- The Repo should learn how to verify the target SVS group's Sync Interest.
- The Repo should store its received latest SVS notification Interest as is, and responds with this Interest when it hears some out-of-dated SVS vector.
- If there are multiple latest SVS state vectors, e.g. [A:1, B:2] and [A:2, B:1], the Repo will not be able to merge them into [A:2, B:2]. Instead, it should respond with both stored Interests eventually. Maybe all at once, maybe one at one time. Not decided yet.

MISCELLANEOUS PACKAGES

5.1 Client-side packages

5.1.1 Introduction

Application built with python-ndn can make use of the client packages provided.

There are four parts:

1. **PutfileClient**: insert files into the repo.
2. **GetfileClient**: get files from the repo.
3. **DeleteClient**: delete data packets from the repo.
4. **CommandChecker**: check process status from the repo.

The example programs in `examples/` illustrate how to use these packages.

Note that the type `Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]` in the documentation is equivalent to the `ndn.name.NonStrictName` type.

5.1.2 Reference

class `ndn_python_repo.clients.putfile.PutfileClient`(*app, prefix, repo_name*)

A client to insert files into the repo.

Parameters

- **app** (NDNApp) – NDNApp.
- **prefix** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. The name of this client
- **repo_name** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. Routable name to remote repo.

async insert_file(*file_path, name_at_repo, segment_size, freshness_period, cpu_count, forwarding_hint=None, register_prefix=None, check_prefix=None*)

Insert a file to remote repo.

Parameters

- **file_path** (str) – Local FS path to file to insert.
- **name_at_repo** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. Name used to store file at repo.

- **segment_size** (int) – Max size of data packets.
- **freshness_period** (int) – Freshness of data packets.
- **cpu_count** (int) – Cores used for converting file to TLV format.
- **forwarding_hint** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview, None]) – NonStrictName. The forwarding hint the repo uses when fetching data.
- **register_prefix** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview, None]) – NonStrictName. If repo is configured with `register_root=False`, it registers `register_prefix` after receiving the insertion command.
- **check_prefix** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview, None]) – NonStrictName. The repo will publish process check messages under `<check_prefix>/check`. It is necessary to specify this value in the param, instead of using a predefined prefix, to make sure the subscriber can register this prefix under the NDN prefix registration security model. If not specified, default value is the client prefix.

Return type

int

Returns

Number of packets inserted.

class `ndn_python_repo.clients.getfile.GetfileClient`(*app, repo_name*)

This client fetches a file from the repo, and save it to working directory.

A client to retrieve files from the remote repo.

Parameters

- **app** (NDNApp) – NDNApp.
- **repo_name** – NonStrictName. Routable name to remote repo.

async `fetch_file`(*name_at_repo, local_filename=None, overwrite=False*)

Fetch a file from remote repo, and write to the current working directory.

Parameters

- **name_at_repo** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. The name with which this file is stored in the repo.
- **local_filename** (str) – str. The filename of the retrieved file on the local file system.
- **overwrite** – If true, existing files are replaced.

class `ndn_python_repo.clients.delete.DeleteClient`(*app, prefix, repo_name*)

This client deletes data packets from the remote repo.

Parameters

- **app** (NDNApp) – NDNApp.
- **repo_name** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. Routable name to remote repo.

async delete_file(*prefix*, *start_block_id*=0, *end_block_id*=None, *register_prefix*=None, *check_prefix*=None)

Delete from repo packets between “<name_at_repo>/<start_block_id>” and “<name_at_repo>/<end_block_id>” inclusively.

Parameters

- **prefix** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. The name of the file stored in the remote repo.
- **start_block_id** (int) – int. Default value is 0.
- **end_block_id** (int) – int. If not specified, repo will attempt to delete all data packets with segment number starting from *start_block_id* continuously.
- **register_prefix** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview, None]) – If repo is configured with *register_root*=False, it unregisters *register_prefix* after receiving the deletion command.
- **check_prefix** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview, None]) – NonStrictName. The repo will publish process check messages under <check_prefix>/check. It is necessary to specify this value in the param, instead of using a predefined prefix, to make sure the subscriber can register this prefix under the NDN prefix registration security model. If not specified, default value is the client prefix.

Return type

int

Returns

Number of deleted packets.

class ndn_python_repo.clients.command_checker.**CommandChecker**(*app*)

This client sends check interests to the repo.

Parameters

app (NDNApp) – NDNApp.

async check_delete(*repo_name*, *request_no*)

Check the status of a delete process.

Parameters

- **repo_name** – NonStrictName. The name of the remote repo.
- **request_no** (bytes) – bytes. The request id of the process to check.

Return type

RepoCommandRes

Returns

The response from the repo.

async check_insert(*repo_name*, *request_no*)

Check the status of an insert process.

Parameters

- **repo_name** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. The name of the remote repo.

- **request_no** (bytes) – bytes. The request id of the process to check.

Return type

RepoCommandRes

Returns

The response from the repo.

5.2 ConcurrentFetcher package

5.2.1 Introduction

Fetch data packets in parallel using a fixed window size.

Note that the type `Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]` in the documentation is equivalent to the `ndn.name.NonStrictName` type.

5.2.2 Reference

async `ndn_python_repo.utils.concurrent_fetcher`(*app, name, start_block_id, end_block_id, semaphore, **kwargs*)

An async-generator to fetch data packets between “*name*/*start_block_id*” and “*name*/*end_block_id*” concurrently.

Parameters

- **app** (NDNApp) – NDNApp.
- **name** (`Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]`) – `NonStrictName`. Name prefix of Data.
- **start_block_id** (int) – int. The start segment number.
- **end_block_id** (`Optional[int]`) – `Optional[int]`. The end segment number. If not specified, continue fetching until an interest receives timeout or nack or 3 times.

Returns

Yield (`FormalName`, `MetaInfo`, `Content`, `RawPacket`) tuples in order.

5.3 PubSub package

5.3.1 Introduction

The PubSub package provides a pub-sub API with best-effort, at-most-once delivery guarantee.

If there are no subscribers reachable when a message is published, this message will not be re-transmitted.

If there are multiple subscribers reachable, the nearest subscriber will be notified of the published message in an any-cast style.

Note that the type `Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]` in the documentation is equivalent to the `ndn.name.NonStrictName` type.

5.3.2 Process

Under the hood the PubSub module transmits a series of Interest and Data packets:

1. The subscriber calls `subscribe(topic, cb)`. This makes the subscriber listen on `"<topic>/notify"`.
 2. The publisher invokes `publish(topic, msg)`. This method sends an Interest with name `"<topic>/notify"`, which will be routed to a subscriber. The interest carries the following fields in its application parameters:
 - Publisher prefix: used by the subscriber to reach the publisher in the next step
 - NotifyNonce: a random bytes string, used by the publisher to de-multiplex among different publications
 - Forwarding hint (optional): if publisher prefix is not announced in the routing system, publisher can provide a forwarding hint
- Meanwhile, `msg` is wrapped into a Data packet named `"<pub_prefix>/msg/<topic>/<notify_nonce>"`. Here, the data name contains `topic` to establish a binding between `topic` and `nonce`, to prevent man-in-the-middle attacks that changes the topic.
3. The subscriber receives the notification interest, constructs a new Interest `"<pub_prefix>/msg/<topic>/<notify_nonce>"` and send it to the publisher.
 4. The publisher receives the interest `"<pub_prefix>/msg/<topic>/<notify_nonce>"`, and returns the corresponding data.
 5. The subscriber receives the data, and invokes `cb(data.content)` to hand the message to the application.
 6. The publisher receives the acknowledgement Data packet, and erases the soft state.

5.3.3 Encoding

The notify Interest's application parameter is encoded as follows:

```
NotifyAppParam = DATA-TYPE TLV-LENGTH
  [PublisherPrefix]
  [NotifyNonce]
  [PublisherFwdHint]

PublisherPrefix = Name

NotifyNonce = NOTIFY-NONCE-TYPE TLV-LENGTH Bytes

PublisherFwdHint = PUBLISHER-FWD-HINT-TYPE TLV-LENGTH Name
```

The type number assignments are as follows:

type	Assigned number (decimal)	Assigned number (hexadecimal)
NOTIFY-NONCE-TYPE	128	0x80
PUBLISHER-FWD-HINT-TYPE	211	0xD3

5.3.4 Reference

class `ndn_python_repo.utils.PubSub`(*app*, *prefix=None*, *forwarding_hint=None*)

Initialize a PubSub instance with identity `prefix` and can be reached at `forwarding_hint`. TODO: support msg larger than MTU

Parameters

- **app** (NDNApp) – NDNApp.
- **prefix** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. The identity of this PubSub instance. The publisher needs a prefix under which can publish data. Note that you cannot initialize two PubSub instances with the same `prefix` on the same node, since it will cause double registration error.
- **forwarding_hint** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. When working as publisher, if `prefix` is not reachable, the subscriber can use `forwarding_hint` to reach the publisher.

async `publish`(*topic*, *msg*)

Publish `msg` to `topic`. Make several attempts until the subscriber returns a response.

Parameters

- **topic** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. The topic to publish `msg` to.
- **msg** (bytes) – bytes. The message to publish. The pub-sub API does not make any assumptions on the format of this message.

Returns

Return true if received response from a subscriber.

set_base_prefix(*prefix*)

Avoid registering too many prefixes, by registering `prefix` with NFD. All other prefixes under `prefix` will be registered with interest filters, and will not have to be registered with NFD. Need to be called before `_wait_for_ready()`.

Parameters

- **prefix** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. The base prefix to register.

set_publisher_prefix(*prefix*)

Set the identify of the publisher after initialization. Need to be called before `_wait_for_ready()`.

Parameters

- **prefix** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. The identity of this PubSub instance.

subscribe(*topic*, *cb*)

Subscribe to `topic` with `cb`.

Parameters

- **topic** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. The topic to subscribe to.
- **cb** (callable) – callable. A callback that will be called when a message under `topic` is received. This function takes one bytes argument.

unsubscribe(*topic*)

Unsubscribe from *topic*.

Parameters

topic (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. The topic to unsubscribe from.

async wait_for_ready()

Need to be called to wait for pub-sub to be ready.

5.4 Storage package

ndn-python-repo supports 3 types of databases as backends. The Storage package provides a unified key-value storage API with the following features:

- Supports MustBeFresh
- Supports CanBePrefix
- Batched writes with periodic writebacks to improve performance

The Storage class provides an interface, and is implemented by:

- SqliteStorage
- LevelDBStorage
- MongoDBStorage

Note that the type Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview] in the documentation is equivalent to the `ndn.name.NonStrictName` type.

5.4.1 Reference

class `ndn_python_repo.storage.Storage`

Interface for a unified key-value storage API.

get_data_packet(*name*, *can_be_prefix=False*, *must_be_fresh=False*)

Get a data packet named *name*.

Parameters

- **name** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. The name of the data packet.
- **can_be_prefix** (bool) – bool. If true, use prefix match instead of exact match.
- **must_be_fresh** (bool) – bool. If true, ignore expired data.

Return type

Optional[bytes]

Returns

The value of the data packet.

put_data_packet(*name*, *data*)

Insert a data packet named *name* with value *data*. This method will parse *data* to get its freshnessPeriod, and compute its expiration time by adding the freshnessPeriod to the current time.

Parameters

- **name** (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. The name of the data packet.
- **data** (bytes) – bytes. The value of the data packet.

remove_data_packet(*name*)

Remove a data packet named *name*.

Parameters

name (Union[Iterable[Union[bytes, bytearray, memoryview, str]], str, bytes, bytearray, memoryview]) – NonStrictName. The name of the data packet.

Return type

bool

Returns

True if a data packet is being removed.

class ndn_python_repo.storage.**SqliteStorage**(*db_path*)

Init table “data” with the attribute *key* being the primary key.

Parameters

db_path (str) – str. Path to database file.

class ndn_python_repo.storage.**LevelDBStorage**(*dir*)

Creates a LevelDB storage instance at disk location *str*.

Parameters

dir (str) – str. The disk location of the database directory.

class ndn_python_repo.storage.**MongoDBStorage**(*db, collection*)

Init a MongoDB storage with unique index on *key*.

Parameters

- **db** (str) – str. Database name.
- **collection** (str) – str. Collection name.

EXAMPLES

TBD

AUTHORS

- Zhaoning Kong <<https://jonnykong.com>>
- Xinyu Ma <<https://zjkmxy.github.io>>
- Yufeng Zhang <<https://yufengzh.io>>
- Zhiyi Zhang <<https://zhiyi-zhang.com>>
- Davide Pesavento
- Susmit Shannigrahi
- Saurab Dulal
- Junxiao Shi <<https://yoursunny.com>>

FUTURE PLANS

- Fix known bugs and problems
- Make better tests
- Make a Docker container for test, since installing nfd takes too long.

INDICES AND TABLES

- `genindex`
- `modindex`
- `search`

PYTHON MODULE INDEX

n

`ndn_python_repo.clients.command_checker`, [17](#)

`ndn_python_repo.clients.delete`, [16](#)

`ndn_python_repo.clients.getfile`, [16](#)

`ndn_python_repo.clients.putfile`, [15](#)

INDEX

C

`check_delete()` (*ndn_python_repo.clients.command_checker.CommandChecker* method), 17

`check_insert()` (*ndn_python_repo.clients.command_checker.CommandChecker* method), 17

`CommandChecker` (class in *ndn_python_repo.clients.command_checker*), 17

`concurrent_fetcher()` (in module *ndn_python_repo.utils*), 18

D

`delete_file()` (*ndn_python_repo.clients.delete.DeleteClient* method), 16

`DeleteClient` (class in *ndn_python_repo.clients.delete*), 16

F

`fetch_file()` (*ndn_python_repo.clients.getfile.GetfileClient* method), 16

G

`get_data_packet()` (*ndn_python_repo.storage.Storage* method), 21

`GetfileClient` (class in *ndn_python_repo.clients.getfile*), 16

I

`insert_file()` (*ndn_python_repo.clients.putfile.PutfileClient* method), 15

L

`LevelDBStorage` (class in *ndn_python_repo.storage*), 22

M

module

ndn_python_repo.clients.command_checker, 17

ndn_python_repo.clients.delete, 16

ndn_python_repo.clients.getfile, 16

ndn_python_repo.clients.putfile, 15

MongoDBStorage (class in *ndn_python_repo.storage*), 22

N

ndn_python_repo.clients.command_checker module, 17

ndn_python_repo.clients.delete module, 16

ndn_python_repo.clients.getfile module, 16

ndn_python_repo.clients.putfile module, 15

P

`publish()` (*ndn_python_repo.utils.PubSub* method), 20

`PubSub` (class in *ndn_python_repo.utils*), 20

`put_data_packet()` (*ndn_python_repo.storage.Storage* method), 21

`PutfileClient` (class in *ndn_python_repo.clients.putfile*), 15

R

`remove_data_packet()` (*ndn_python_repo.storage.Storage* method), 22

S

`set_base_prefix()` (*ndn_python_repo.utils.PubSub* method), 20

`set_publisher_prefix()` (*ndn_python_repo.utils.PubSub* method), 20

`SqliteStorage` (class in *ndn_python_repo.storage*), 22

`Storage` (class in *ndn_python_repo.storage*), 21

`subscribe()` (*ndn_python_repo.utils.PubSub* method), 20

U

`unsubscribe()` (*ndn_python_repo.utils.PubSub* method), 20

W

`wait_for_ready()` (*ndn_python_repo.utils.PubSub* method), 21